

Diabetes Deaths

Diabetes Deaths

- Most recent data (2012): 19.3 deaths per 100,000, including 377 deaths.
- Trend over time: 2000-12: flat
- Description: Deaths with diabetes mellitus as a primary cause of death

Diabetes deaths, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	19.2	18.3	20.1	354
AGE				
<18	*	*	*	*
18-24	*	*	*	*
25-44	1.8	1.4	2.4	11
45-64	16.5	14.9	18.1	85
65+	121.7	115.2	128.6	257
GENDER				
Male	24.0	22.5	25.6	191
Female	15.4	14.4	16.6	163
RACE/ETHNICITY				
AIAN	35.7	21.0	58.7	4
Asian	18.1	15.5	21.0	36
Black	50.7	43.5	58.9	39
Hispanic	20	14.0	27.8	9
Multiple	18.9	11.0	31.0	4
NHPI	28.3	13.6	65.0	2
White	17.6	16.7	18.6	267
NEIGHBORHOOD POVERTY				
High	28.0	24.9	31.4	63
Medium	20.2	19.0	21.4	241
Low	12.3	10.8	13.9	51
REGION				
East	12.2	10.8	13.7	56
North	17.6	14.6	21.0	26
Seattle	20.8	19.1	22.5	126
South	23.1	21.4	24.8	146

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

CI is 95% Confidence Interval.


* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Diabetes deaths

King County, 2008-2012 average



Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

[^]Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

|-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Poverty = Neighborhood poverty levels defined by median household income.

Diabetes deaths by comparison areas

There is no Healthy People 2020 Objective for diabetes deaths.

	Latest Available Year	Rate	Lower CI	Upper CI
United States	2010	20.8	N/A	N/A
WA State	2012	23.3	22.2	24.5
King County	2012	19.3	17.4	21.5

Notes:

Source: WA State DOH, Center for Health Statistics, Death Certificates.


Prepared by Public Health - Seattle & King County, APDE, 01/2015.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.

CI is 95% Confidence Interval.

Diabetes deaths by comparison areas



Source: WA State DOH, Center for Health Statistics, Death Certificates.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.
[^]Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
|-----| Confidence interval shows range that includes true value 95% of the time.

Diabetes deaths by health reporting areas, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	19.2	18.3	20.1	354
Auburn	27.5	21.8	34.2	17
..Auburn-North	24.7	18.0	33.2	9
..Auburn-South	31.3	21.9	43.8	8
Bear Creek/Carnation/Duvall	10.9	6.6	17.3	5
Bellevue	10.3	8.1	13.0	15
..Bellevue-Central	13.8	9.1	20.6	6
..Bellevue-NE	10.5	6.4	16.6	4
..Bellevue-South	9.6	5.2	17.0	3
..Bellevue-West	7.6	4.2	13.6	3
Black Diamond/Enumclaw/SE County	18.8	13.5	25.7	9
Bothell/Woodinville	11.2	6.9	17.6	5
Burien	24.0	18.3	31.1	12
Covington/Maple Valley	21.8	15.0	30.7	7
Des Moines/Normandy Park	19.1	13.9	26.0	10
East Federal Way	24.9	17.1	35.4	7
Fairwood	13.5	7.3	24.3	3
Federal Way	26.2	21.3	32.0	21
..Fed Way-Central/Military Rd	34.2	27.2	42.6	17
..Fed Way-Dash Point/Woodmont	13.4	7.7	21.9	4
Issaquah	16.6	10.8	25.0	6
Kenmore/LFP	15.0	10	22.0	6
Kent	29.3	24.4	35.0	26
..Kent-East	25.3	17.3	36.1	7
..Kent-SE	26.7	20.1	34.9	12
..Kent-West	41.3	29.0	57.8	8
Kirkland	12.9	9.4	17.4	10
..Kirkland	11.4	7.2	17.2	5
..Kirkland North	15.0	9.4	23.1	5
Mercer Isle/Pt Cities	6.8	3.9	13.2	3
Newcastle/Four Creeks	14.6	8.1	24.5	3
North Highline	20.8	11.6	35.2	3
Redmond	16.3	11.1	23.2	7
Renton	20.1	16.3	24.6	20
..Renton-East	17.1	10.1	27.7	4
..Renton-North	17.7	11.5	26.5	5
..Renton-South	23.1	17.4	30.3	11
Sammamish	15.9	8.4	27.7	3
SeaTac/Tukwila	24.2	17.3	33.1	9
Seattle	20.8	19.1	22.5	126
..Ballard	15.6	10.9	22.0	8
..Beacon/Gtown/S.Park	32.5	25.1	41.5	13
..Capitol Hill/E.lake	13.7	8.8	21.6	5
..Central Seattle	30.9	23.6	40	13
..Delridge	29.2	19.6	42.3	6
..Downtown	29.8	23.2	44.4	14
..Fremont/Greenlake	14.5	9.0	22.6	5
..NE Seattle	13.0	9.1	18.2	7
..North Seattle	20.1	14.7	27.2	10
..NW Seattle	18.9	13.8	25.9	10
..QA/Magnolia	14.2	10.1	20.1	8
..SE Seattle	34.1	26.5	43.3	14
..West Seattle	16.5	12.3	22.2	11
Shoreline	22.1	17.3	28.1	16
Snoqualmie/North Bend/Skykomish	19.6	12.0	30.4	5
Vashon Island	11.2 §	5.0 §	28.5 §	2

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.


Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Diabetes deaths by health reporting areas King County, 2008-2012 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order
 Source: WA State DOH, Center for Health Statistics, Death Certificates.
 Prepared by Public Health - Seattle & King County, APDE, 01/2015.
 ^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Diabetes deaths King County, 2000-2012, three-year rolling averages



Source: WA State DOH, Center for Health Statistics, Death Certificates.
 Prepared by Public Health - Seattle & King County, APDE, 01/2015.
 ^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.